


THREADED PIPE FITTINGS IN MALLEABLE CAST IRON  
ACCESORIOS ROSCADOS DE FUNDICIÓN MALEABLE  
GEWINDEFITTINGS AUS TEMPERGUSS  
RACCORDS DE TUYAUTERIE FILETES EN FONTE MALLEABLE  
RACCORDI FILETTATI IN GHISA MALLEABILE





# 1


**BEND 90° M/F  
CURVA 90° M/H**

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	01021003	<b>4,74</b>	01025003	<b>5,97</b>	110 10
3/4"	01021004	<b>8,25</b>	01025004	<b>10,42</b>	60 10
1"	01021005	<b>11,13</b>	01025005	<b>14,15</b>	35
1 1/4"	01021006	<b>19,71</b>	01025006	<b>24,44</b>	17
1 1/2"	01021007	<b>25,38</b>	01025007	<b>32,34</b>	12
2"	01021008	<b>42,08</b>	01025008	<b>52,16</b>	6
2 1/2"			01025009	<b>117,32</b>	3
3"			0102500A	<b>150,43</b>	4
4"			0102500C	<b>273,19</b>	2



# 2


**BEND 90° F/F  
CURVA 90° H/H**

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	02021003	<b>5,46</b>	02025003	<b>6,75</b>	90 10
3/4"	02021004	<b>8,47</b>	02025004	<b>10,47</b>	50 10
1"	02021005	<b>11,13</b>	02025005	<b>14,15</b>	28
1 1/4"	02021006	<b>19,77</b>	02025006	<b>24,55</b>	14
1 1/2"	02021007	<b>24,39</b>	02025007	<b>30,17</b>	10
2"	02021008	<b>33,63</b>	02025008	<b>41,91</b>	5
2 1/2"			02025009	<b>117,93</b>	2
3"			0202500A	<b>148,26</b>	4
4"			0202500C	<b>281,10</b>	2



# 40


**BEND 45° M/F  
CURVA 45° M/H**

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	04021003	<b>5,46</b>	04025003	<b>6,75</b>	120 10
3/4"	04021004	<b>7,30</b>	04025004	<b>9,14</b>	80 10
1"	04021005	<b>10,42</b>	04025005	<b>12,80</b>	50
1 1/4"	04021006	<b>17,93</b>	04025006	<b>22,33</b>	25
1 1/2"	04021007	<b>21,55</b>	04025007	<b>26,61</b>	18
2"	04021008	<b>33,90</b>	04025008	<b>42,19</b>	10
2 1/2"			04025009	<b>93,66</b>	6
3"			0402500A	<b>102,18</b>	3
4"			0402500C	<b>230,51</b>	4



# 41


**BEND 45° F/F  
CURVA 45° H/H**

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	04121003	<b>6,63</b>	04125003	<b>8,08</b>	100 10
3/4"	04121004	<b>8,13</b>	04125004	<b>10,19</b>	60 10
1"	04121005	<b>10,53</b>	04125005	<b>13,04</b>	40
1 1/4"			04125006	<b>23,44</b>	22
1 1/2"			04125007	<b>30,95</b>	15
2"			04125008	<b>43,47</b>	9
2 1/2"			04125009	<b>85,82</b>	4
3"			0412500A	<b>109,48</b>	2
4"			0412500C	<b>243,48</b>	2



# 85


**CROSSOVER  
CURVA PUENTE**

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	08521003	<b>6,91</b>	08525003	<b>8,64</b>	60 10
3/4"	08521004	<b>10,53</b>	08525004	<b>13,04</b>	30 10
1"	08521005	<b>20,93</b>	08525005	<b>27,12</b>	20



# 90

**ELBOW 90° F/F  
CODO 90° H/H**

Ø	COD.	IND.	COD.	IND.	 units.
3/8"	09021002	<b>2,40</b>	09025002	<b>3,07</b>	250 10
1/2"	09021003	<b>1,58</b>	09025003	<b>2,11</b>	120 10
3/4"	09021004	<b>2,55</b>	09025004	<b>3,31</b>	90 10
1"	09021005	<b>3,90</b>	09025005	<b>4,87</b>	50 10
1 1/4"	09021006	<b>7,64</b>	09025006	<b>9,41</b>	30
1 1/2"	09021007	<b>12,25</b>	09025007	<b>15,20</b>	22
2"	09021008	<b>14,15</b>	09025008	<b>17,88</b>	12
2 1/2"	09021009	<b>41,47</b>	09025009	<b>52,48</b>	7
3"	0902100A	<b>57,78</b>	0902500A	<b>71,91</b>	4
4"	0902100C	<b>101,84</b>	0902500C	<b>128,79</b>	2


Galvanized, Galvanizado

Box size, Tamaño de caja: 250 x 188 x 205 mm.

In plastics bags with 10 pieces



## 92 ELBOW 90° M/F CODO 90° M/H

Ø	COD.	IND.	COD.	IND.	 units.
3/8"	09221002	2,96	09225002	3,51	250 10
1/2"	09221003	2,01	09225003	2,43	150 10
3/4"	09221004	3,09	09225004	3,79	90 10
1"	09221005	4,98	09225005	6,38	50 10
1 1/4"	09221006	9,08	09225006	11,03	30
1 1/2"	09221007	13,26	09225007	16,54	22
2"	09221008	17,26	09225008	21,71	12
2 1/2"	09221009	43,53	09225009	54,10	7
3"	0922100A	57,27	0922500A	71,30	4
4"	0922100C	96,23	0922500C	121,77	2




## 97 UNION ELBOW FLAT SEAT M/F CODO UNIÓN ASIENTO PLANO M/H

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	09721003	11,69	09725003	14,76	50 10
3/4"	09721004	14,09	09725004	17,76	30 10
1"	09721005	17,76	09725005	22,60	23




## 120 ELBOW 45° F/F CODO 45° H/H

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	12021003	5,57	12025003	7,08	150 10
3/4"	12021004	6,91	12025004	8,75	90 10
1"	12021005	10,19	12025005	12,80	60 10




## 95 UNION ELBOW FLAT SEAT F/F CODO UNIÓN ASIENTO PLANO H/H

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	09521003	11,59	09525003	14,37	50 10
3/4"	09521004	12,75	09525004	15,75	40 10
1"	09521005	15,70	09525005	19,71	28




## 96 UNION ELBOW CONE SEAT F/F CODO UNIÓN ASIENTO CÓNICO H/H

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	09621003	11,53	09625003	14,54	50 10
3/4"	09621004	13,31	09625004	16,82	40 10
1"	09621005	19,21	09625005	24,17	28
2"	09621008	64,00	09625008	80,98	6




## 98 UNION ELBOW CONE SEAT M/F CODO UNIÓN ASIENTO CÓNICO M/H

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	09821003	11,59	09825003	14,59	50 10
3/4"	09821004	14,76	09825004	18,54	30 10
1"	09821005	20,21	09825005	25,38	23
2"	09821008	68,18	09825008	86,21	6



## 130 TEE 90° TE 90°

Ø	COD.	IND.	COD.	IND.	 units.
1/4"	13021001	4,02	13025001	5,08	220 10
3/8"	13021002	3,57	13025002	4,35	120 10
1/2"	13021003	2,28	13025003	2,81	70 10
3/4"	13021004	3,90	13025004	4,87	60 10
1"	13021005	5,68	13025005	7,14	30 10
1 1/4"	13021006	10,42	13025006	12,80	20
1 1/2"	13021007	15,87	13025007	19,82	14
2"	13021008	22,82	13025008	27,89	10
2 1/2"	13021009	51,49	13025009	64,00	5
3"	1302100A	68,85	1302500A	85,55	4
4"	1302100C	132,45	1302500C	167,57	2

Galvanized, Galvanizado


Box size, Tamaño de caja: 250 x 188 x 205 mm.

In plastics bags with 10 pieces



# 180


## CROSS CRUZ

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	18021003	8,13	18025003	10,19	70 10
3/4"	18021004	12,48	18025004	15,26	40 10
1"	18021005	15,26	18025005	18,87	28
1 1/4"	18021006	20,21	18025006	25,33	16
1 1/2"	18021007	26,78	18025007	33,79	10
2"	18021008	39,85	18025008	50,43	7
2 1/2"	18021009	90,16	18025009	114,09	3



# 280


## HEXAGON NIPPLE ROSCA DOBLE

Ø	COD.	IND.	COD.	IND.	 units.
3/8"	28021002	3,29	28025002	4,07	300 10
1/2"	28021003	1,68	28025003	2,16	200 10
3/4"	28021004	2,28	28025004	2,81	130 10
1"	28021005	3,14	28025005	4,06	80 10
1 1/4"	28021006	5,52	28025006	6,85	40 10
1 1/2"	28021007	6,53	28025007	7,91	40
2"	28021008	11,42	28025008	14,25	20
2 1/2"	28021009	20,60	28025009	25,60	10
3"	2802100A	24,94	2802500A	30,84	8
4"	2802100C	89,88	2802500C	113,65	4



# 300


## CAP F TAPÓN H

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	30021003	2,18	30025003	2,73	280 10
3/4"	30021004	2,57	30025004	3,29	180 10
1"	30021005	3,12	30025005	3,85	130 10
1 1/4"	30021006	4,79	30025006	5,80	80 10
1 1/2"	30021007	5,91	30025007	7,24	60 10
2"	30021008	10,91	30025008	13,70	40
2 1/2"			30025009	24,89	25
3"			3002500A	27,17	15
4"			3002500C	59,45	8



# 270


## SOCKET MANGUITO

Ø	COD.	IND.	COD.	IND.	 units.
1/4"			27025001	3,46	400 10
3/8"	27021002	2,46	27025002	2,96	250 10
1/2"	27021003	1,96	27025003	2,40	180 10
3/4"	27021004	2,57	27025004	3,29	110 10
1"	27021005	3,34	27025005	4,35	80 10
1 1/4"	27021006	5,52	27025006	6,85	45
1 1/2"	27021007	7,74	27025007	9,86	35
2"	27021008	11,64	27025008	14,64	20
2 1/2"	27021009	32,68	27025009	40,52	12
3"			2702500A	48,70	9
4"			2702500C	113,65	4



# 290


## PLUG M TAPÓN M


Ø	COD.	IND.	COD.	IND.	 units.
3/8"	29021002	1,40	29025002	1,67	400 10
1/2"	29021003	1,36	29025003	1,68	300 10
3/4"	29021004	1,90	29025004	2,28	200 10
1"	29021005	2,12	29025005	2,49	120 10
1 1/4"	29021006	3,80	29025006	4,74	80 10
1 1/2"	29021007	4,79	29025007	5,80	60 10
2"	29021008	8,47	29025008	10,42	40
2 1/2"	29021009	17,93	29025009	22,72	20
3"			2902500A	29,28	15
4"			2902500C	51,65	8




# 310

## BACKNUT CONTRA TUERCA

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	31021003	1,57	31025003	2,07	400 10
3/4"	31021004	1,74	31025004	2,18	300 10
1"	31021005	2,68	31025005	3,19	200 10
1 1/4"	31021006	3,85	31025006	4,62	80
1 1/2"	31021007	4,24	31025007	5,24	70
2"	31021008	8,35	31025008	10,42	50




## 330 UNION FLAT SEAT F/F UNIÓN ASIENTO PLANO H/H

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	33021003	7,24	33025003	8,75	80 10
3/4"	33021004	8,25	33025004	10,19	50 10
1"	33021005	9,19	33025005	11,59	30 10
1 1/4"	33021006	15,87	33025006	19,93	20
1 1/2"	33021007	20,44	33025007	25,77	18
2"	33021008	33,63	33025008	42,70	10
2 1/2"			33025009	97,84	7
3"			3302500A	143,64	4




## 331 UNION FLAT SEAT M/F UNIÓN ASIENTO PLANO M/H

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	33121003	8,30	33125003	10,25	60 10
3/4"	33121004	9,08	33125004	11,47	40 10
1"	33121005	11,03	33125005	13,70	35
1 1/4"	33121006	19,04	33125006	24,99	18
1 1/2"	33121007	24,00	33125007	30,22	15
2"	33121008	37,29	33125008	47,25	10



## 334 CONNECTING UNION UNIÓN DE COMPENSACIÓN

Ø	COD.	IND.	 units.
1/2" x 88	33425003	16,70	50
3/4" x 96	33425004	20,58	30
1" x 106	33425005	25,94	20
1 1/4" x 118	33425006	37,28	15
1 1/2" x 122	33425007	47,93	10
2" x 134	33425008	75,08	8




## 340 UNION CONE SEAT F/F UNIÓN ASIENTO CÓNICO H/H

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	34021003	8,69	34025003	10,86	80 10
3/4"	34021004	9,80	34025004	12,31	50 10
1"	34021005	11,42	34025005	14,20	30 10
1 1/4"	34021006	18,82	34025006	24,44	20
1 1/2"	34021007	22,11	34025007	28,62	18
2"	34021008	36,24	34025008	47,09	10
2 1/2"			34025009	103,63	7
3"			3402500A	144,54	4




## 341 UNION CONE SEAT M/F UNIÓN ASIENTO CÓNICO M/H

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	34121003	8,52	34125003	10,58	60 10
3/4"	34121004	10,31	34125004	12,80	40 10
1"	34121005	12,75	34125005	15,87	35
1 1/4"	34121006	20,15	34125006	25,22	18
1 1/2"	34121007	25,77	34125007	32,34	15
2"	34121008	41,13	34125008	51,60	10
2 1/2"			34125009	113,09	4
3"			3412500A	176,87	2



## 529 EXTENSION TUBE ALARGADERA

Ø	COD.	IND.	COD.	IND.	 units.
1/2"	52921003	3,51	52925003	4,40	200 10
3/4"	52921004	5,13	52925004	6,58	120 10
1"	52921005	8,03	52925005	10,19	60 10


Galvanized, Galvanizado

Box size, Tamaño de caja: 250 x 188 x 205 mm.

In plastics bags with 10 pieces




## 90R REDUCING ELBOW 90° F/F CODO REDUCIDO 90° H/H

Ø	COD.	IND.	COD.	IND.	 units.
3/4"-1/2"	09021043	<b>3,85</b>	09025043	<b>4,52</b>	90 10
1"-1/2"	09021053	<b>5,08</b>	09025053	<b>6,58</b>	50 10
1"-3/4"	09021054	<b>5,63</b>	09025054	<b>6,91</b>	50 10
1 1/4"-1/2"	09021063	<b>8,64</b>	09025063	<b>10,47</b>	50 10
1 1/4"-3/4"	09021064	<b>11,42</b>	09025064	<b>14,15</b>	50 10
1 1/4"-1"	09021065	<b>9,02</b>	09025065	<b>11,25</b>	40
1 1/2"-1"	09021075	<b>12,92</b>	09025075	<b>16,43</b>	35
1 1/2"-1 1/4"	09021076	<b>14,47</b>	09025076	<b>17,93</b>	25
2"-1 1/2"	09021087	<b>23,22</b>	09025087	<b>28,89</b>	15




## 130R REDUCING TEE 90° TE 90° REDUCIDA

Ø	COD.	IND.	COD.	IND.	 units.
1/2"-3/4"-1/2"	13021343	<b>5,08</b>	13025343	<b>6,41</b>	70 10
3/4"-1/2"-3/4"	13021434	<b>4,18</b>	13025434	<b>5,24</b>	60 10
1"-1/2"-1"	13021535	<b>5,52</b>	13025535	<b>6,85</b>	40 10
1"-3/4"-1"	13021545	<b>5,97</b>	13025545	<b>7,35</b>	40 10
1"-1"-3/4"	13021554	<b>7,86</b>	13025554	<b>9,92</b>	30 10
1 1/4"-1/2"-1 1/4"	13021636	<b>9,14</b>	13025636	<b>11,47</b>	30
1 1/4"-3/4"-1 1/4"	13021646	<b>9,92</b>	13025646	<b>12,14</b>	30
1 1/4"-1"-1 1/4"	13021656	<b>10,86</b>	13025656	<b>13,53</b>	25
1 1/2"-1/2"-1 1/2"	13021737	<b>12,25</b>	13025737	<b>15,43</b>	25
1 1/2"-3/4"-1 1/2"	13021747	<b>13,20</b>	13025747	<b>16,70</b>	22
1 1/2"-1"-1 1/2"	13021757	<b>14,37</b>	13025757	<b>18,04</b>	20
1 1/2"-1 1/4"-1 1/2"	13021767	<b>19,43</b>	13025767	<b>24,55</b>	17
2"-1/2"-2"	13021838	<b>17,98</b>	13025838	<b>22,77</b>	15
2"-3/4"-2"	13021848	<b>23,38</b>	13025848	<b>29,61</b>	15
2"-1"-2"	13021858	<b>18,43</b>	13025858	<b>22,99</b>	12
2"-1 1/4"-2"	13021868	<b>23,38</b>	13025868	<b>29,61</b>	12
2"-1 1/2"-2"	13021878	<b>27,44</b>	13025878	<b>34,12</b>	10
2 1/2"-1"-2 1/2"	13021959	<b>37,13</b>	13025959	<b>46,98</b>	8
2 1/2"-1 1/4"-2 1/2"	13021969	<b>50,88</b>	13025969	<b>64,51</b>	8
2 1/2"-1 1/2"-2 1/2"	13021979	<b>44,42</b>	13025979	<b>56,16</b>	8
2 1/2"-2"-2 1/2"	13021989	<b>49,98</b>	13025989	<b>63,17</b>	6
3"-1"-3"	13021A5A	<b>63,78</b>	13025A5A	<b>77,03</b>	5
3"-1 1/2"-3"			13025A7A	<b>88,77</b>	4
3"-2"-3"			13025A8A	<b>82,48</b>	4
3"-2 1/2"-3"			13025A9A	<b>97,56</b>	3
4"-2"-4"			13025C8C	<b>145,31</b>	2
4"-2 1/2"-4"			13025C9C	<b>185,60</b>	2
4"-3"-4"			13025CAC	<b>154,49</b>	2



## 240 REDUCING SOCKET MANGUITO REDUCIDO

Ø	COD.	IND.	COD.	IND.	 units.
1/2"-3/8"	24021032	<b>3,07</b>	24025032	<b>3,63</b>	200 10
3/4"-3/8"	24021042	<b>4,02</b>	24025042	<b>5,13</b>	140 10
3/4"-1/2"	24021043	<b>3,34</b>	24025043	<b>4,30</b>	140 10
1"-3/8"	24021052	<b>5,63</b>	24025052	<b>7,08</b>	100 10
1"-1/2"	24021053	<b>4,35</b>	24025053	<b>5,41</b>	90 10
1"-3/4"	24021054	<b>3,90</b>	24025054	<b>4,91</b>	80 10
1 1/4"-1/2"	24021063	<b>7,96</b>	24025063	<b>10,36</b>	60 10
1 1/4"-3/4"	24021064	<b>7,19</b>	24025064	<b>9,14</b>	60 10
1 1/4"-1"	24021065	<b>7,08</b>	24025065	<b>8,86</b>	50 10
1 1/2"-1"	24021075	<b>8,64</b>	24025075	<b>10,75</b>	45
1 1/2"-1 1/4"	24021076	<b>9,36</b>	24025076	<b>11,86</b>	40
2"-3/4"	24021084	<b>18,37</b>	24025084	<b>22,99</b>	30
2"-1"	24021085	<b>16,59</b>	24025085	<b>21,15</b>	25
2"-1 1/4"	24021086	<b>14,93</b>	24025086	<b>18,71</b>	22
2"-1 1/2"	24021087	<b>14,09</b>	24025087	<b>17,71</b>	22
2 1/2"-1 1/2"	24021097	<b>44,52</b>	24025097	<b>56,38</b>	14
2 1/2"-2"	24021098	<b>38,57</b>	24025098	<b>47,86</b>	10
3"-2"	240210A8	<b>59,72</b>	240250A8	<b>75,47</b>	10
3"-2 1/2"	240210A9	<b>68,07</b>	240250A9	<b>85,87</b>	8
4"-3"	240210CA	<b>110,53</b>	240250CA	<b>140,02</b>	6

Galvanized, Galvanizado


Box size, *Tamaño de caja*: 250 x 188 x 205 mm.

In plastics bags with 10 pieces



# 241


## REDUCING BUSH TUERCA REDUCIDA

Ø	COD.	IND.	COD.	IND.	 units.
1/2"-1/4"			24125031	2,18	350 10
1/2"-3/8"	24121032	1,62	24125032	2,18	350 10
3/4"-3/8"	24121042	2,46	24125042	3,02	200 10
3/4"-1/2"	24121043	1,68	24125043	2,28	200 10
1"-1/2"	24121053	2,49	24125053	3,19	140 10
1"-3/4"	24121054	2,28	24125054	2,98	140 10
1 1/4"-1/2"	24121063	4,69	24125063	5,52	80 10
1 1/4"-3/4"	24121064	3,96	24125064	4,91	80 10
1 1/4"-1"	24121065	3,02	24125065	3,63	80 10
1 1/2"-1/2"	24121073	5,74	24125073	7,30	70 10
1 1/2"-3/4"	24121074	6,58	24125074	8,08	70 10
1 1/2"-1"	24121075	4,35	24125075	5,41	70 10
1 1/2"-1 1/4"	24121076	4,46	24125076	5,52	70 10
2"-1/2"	24121083	11,64	24125083	14,70	30
2"-3/4"	24121084	11,53	24125084	14,54	30
2"-1"	24121085	9,47	24125085	11,92	30
2"-1 1/4"	24121086	9,02	24125086	11,37	30
2"-1 1/2"	24121087	8,08	24125087	10,19	30
2 1/2"-1"	24121095	18,82	24125095	23,44	20
2 1/2"-1 1/4"			24125096	27,12	20
2 1/2"-1 1/2"	24121097	20,60	24125097	25,60	20
2 1/2"-2"	24121098	15,53	24125098	19,60	20
3"-1"			241250A5	36,73	10
3"-1 1/4"			241250A6	36,73	10
3"-1 1/2"	241210A7	27,17	241250A7	34,07	10
3"-2"	241210A8	20,37	241250A8	25,28	15
3"-2 1/2"	241210A9	22,99	241250A9	28,62	15
4"-2"			241250C8	73,58	8
4"-2 1/2"	241210C9	43,19	241250C9	54,77	8
4"-3"			241250CA	52,55	8



# 245


## REDUCING HEXAGON NIPPLE ROSCA DOBLE REDUCIDA

Ø	COD.	IND.	COD.	IND.	 units.
1/2"-3/8"	24521032	4,02	24525032	5,08	230 10
3/4"-1/2"	24521043	3,63	24525043	4,46	150 10
1"-1/2"	24521053	7,08	24525053	8,97	100 10
1"-3/4"	24521054	4,02	24525054	5,08	100 10
1 1/4"-1"	24521065	6,63	24525065	8,08	50 10
1 1/2"-1"	24521075	14,93	24525075	18,87	50
1 1/2"-1 1/4"	24521076	8,03	24525076	10,19	45
2"-1 1/4"	24521086	16,93	24525086	21,15	25
2"-1 1/2"	24521087	15,31	24525087	19,32	25
2 1/2"-2"			24525098	46,36	14
3"-2 1/2"			245250A9	74,97	8



# 246

## REDUCING SOCKET F/M MANGUITO REDUCIDO H/M

Ø	COD.	IND.	COD.	IND.	 units.
3/4"-1/2"	24621043	3,51	24625043	4,40	140 10
1"-1/2"	24621053	5,46	24625053	6,75	80 10
1"-3/4"	24621054	5,63	24625054	7,13	80 10
1 1/4"-1"	24621065	6,53	24625065	7,91	50 10
1 1/2"-1"	24621075	12,25	24625075	15,26	45
1 1/2"-1 1/4"	24621076	10,75	24625076	13,36	40
2"-1 1/4"	24621086	17,20	24625086	21,60	25
2"-1 1/2"	24621087	17,98	24625087	22,77	20

## GENERAL INDICATIONS

### 1. STANDARD AND IDENTIFICATION

- Standard for production and use EN 10242: 1994
- Identification: In accordance with the material selected for the production and the type of thread the  $\Phi$  fittings are identified as class "A", that is:
  - They are generally made of white heart malleable cast iron of high quality GJMW 400 - 05.
  - The threads are cut according to ISO 7/1, i.e. parallel internal thread (Rp) and tapered external thread (R).

### 2. GALVANIZATION

The  $\Phi$  fittings can be delivered-as requested by the purchaser with black or galvanized finished.

As prescribed by the standard EN 10242, the mass of zinc coating shall be not less than 500 gr/m<sup>2</sup>, which corresponds to a medium layer thickness of 70  $\mu$ m.

Both types of finished are covered with an anti rust varnish. The surfaces of the  $\Phi$  fittings are free of aromatic hydrocarbons policliclyes.

Galvanized, *Galvanizado*

Box size, *Tamaño de caja*: 250 x 188 x 205 mm.

In plastics bags with 10 pieces



MONTANA - BULGARIA



Polígono Industrial ATUSA - Agurain  
E 01200 SALVATIERRA (Álava) SPAIN

Tel.: +34 945 18 00 00 • Call Center  
Tel.: +34 945 18 00 03 • Export Dpt.  
Tel.: +34 945 18 00 05 • Marketing Dpt.  
Fax: +34 945 30 01 53  
E-mail: [export@atusa.es](mailto:export@atusa.es)  
[www.atusa.es](http://www.atusa.es)

